

PRODUKT INFORMATION

allsafe seat system

Made by the manufacturer of the Airline track





allsafe seat system

Made by the manufacturer of the
Airline track.

Flexibility meets safe –
the allsafe seat system.

The allsafe seat system
combines comfort, safe
and maximum adaptability.

It consists of an M1-approved,
ready-to-install kit with seat
track, seat adapter, seat, and
all documentation required for
approval.

On request, we offer an additional
floor panel with integrated seat
tracks that can be customized to
fit your vehicle's body.

Passengers enjoy the comfort
of sliding seats with one-hand
operation, while vehicle
converters benefit from our
decades of experience and
flexible solutions.

Developed and produced in
Germany, the allsafe seat
system is your partner for safety
and quality.

Lashing points approved in
accordance with ISO 10542 can
be used between the seat tracks
for securing wheelchairs.


Suitable for seats in vehicle class M1

1 The special allsafe seat adapter
makes it particularly easy to move
the seat.

2 The seats are very easy to position
and lock securely and rattle-free in
the airline track. One-hand operation
included.

Your benefits:

- Easy to move
- One-hand operation
- Maximum variability in
seat positioning



The allsafe seat system and BE-GE seats are tested
and approved by TÜV*.

Regulation (EU) 2018/858 for vehicle category M1
Regulation ECE R14 | ECE R16 | ECE R17 | ECE R21

* Tested vehicles available on request

allsafe seat system

Description

With the allsafe seat system, transporters can be fitted with up to six M1 seats. Vehicle classes M2, M3, N1, N2, and N3 can be fitted with any number of seats. All components match perfectly with each other.

allsafe seat system




Transporter with allsafe seat system with six M1 seats. Three standard seats can be installed side by side.

Three rows of two M1 seats each can also be used side by side.

All seats can be installed either in driving direction or against.

allsafe seat track

Double seat rail



The seat tracks are available for 12 mm floor panels in lengths up to 6 m. The floor panel can also be assembled with 9 mm floor panels + 2 mm vinyl flooring.

Two individual seat tracks are simply joined together to form a double seat track and held together with a riveted connection. The track is glued and screwed at the rear end, making it easy and safe to install.


The allsafe seat track offers maximum functionality with its visible airline profile. Seats can be inserted and moved in any position in the direction of travel or backwards – without accidentally levering them out.

Thanks to its double-row design, it guarantees parallelism for smooth adjustment with just one hand.


Perfect for passengers who expect variability and comfort.

Base plate


Suitable for the vehicle



By installing three double seat tracks and the matching wooden covers, a flat floor can be created in the vehicle.



Alternatively, ready-to-install one-piece floor panels with 3 double seat rails are available.




The floor structure consists of a 9 mm wood panel and 2 mm vinyl flooring.

Alternatively, a 12 mm floor panel can be placed on top of the allsafe seat track (without vinyl layer).

allsafe seat system

allsafe seat adapter

Seat adapters with and without transportation wheels




The seat adapters can be easily unlocked with a central one-hand operation. It then locks easily in the new position.

The double locking mechanism prevents the seat from accidentally slipping out of the track while moving it. To remove the seat out of the track, a second safety locking has to be released.

The seat adapter is also available with wheels for easier transport of the seats.

Seat base

Seat base styles and heights



Both seat base styles can be combined with the seat adapter with or without wheels.

The seat base is available in two styles and three heights.

For JANY seat type 862, the pyramid seat base is available as a swivel seat in three different heights.

The allsafe seat system is designed to fit BE-GE seats. The seats are available with a 3-point seat belt, various upholsteries and optional armrests and Isofix.

BE-GE

M1 seats

JANY seat type 801



Illustration:
Fabric upholstery
Standard seat base height

The bestseller with fabric upholstery, integrated headrest, and 3-point seat belt.

- Options:
- 3-point seat belt on the left or righthand side
 - Armrest on the left, right, or both sides
 - Isofix
 - Seat upholstery: fabric or imitation leather

JANY seat type 805



Illustration:
Artificial leather upholstery
Standard seat base height

Standard with fabric upholstery, integrated headrest, 3-point seat belt and adjustable backrest.

- Options:
- 3-point seat belt on the left or righthand side
 - Armrest on left, right, or both sides
 - Isofix
 - Seat upholstery: fabric or imitation leather



allsafe seat system

M1 seats



JANY seat type 825



Illustration:
Fabric upholstery
Standard seat base height

Standard with fabric upholstery, integrated headrest, 3-point seat belt and adjustable and foldable backrest.

- Options:
- 3-point seat belt on the left or righthand side
 - Armrest on left, right, or both sides
 - Isofix
 - Seat upholstery: fabric or artificial leather



JANY seat type 862



Illustration:
Artificial leather upholstery
Standard seat base height


Standard model with fabric upholstery, integrated headrest, 3-point harness, adjustable backrest and fold-up seat. Very compact design combined with a 360° swivel console on a trapezoidal base.

- Options:
- 3-point seat belt on the left or righthand side
 - Armrest on the left, right, or both sides
 - Isofix
 - Seat upholstery: fabric or artificial leather




Total seat height results from seat base height and type of seat adapter (dimensions in mm):

Seat with standard base



Seat with 360° swivel base



allsafe seat system accessories

Accessories

Slide console




JANY seats types 801 and 805 are available with a slide console and a matching pyramid base. The slide console allows the seat to be adjusted 190 mm lengthways on the seat base.

Swivel and slide console



JANY seats types 801 and 805 are available with a swivel and slide console and a matching pyramid base. Using the swivel and slide console, the seat base can be adjusted 190 mm lengthways on the seat base, or rotated by 360° and locked into 4 positions.

Seat with Console



Seat occupancy monitoring

Monitoring of the seat and control of the Safety belt Lock is available immediately. Data transmission and display to the driver can be retrofitted from Feb. 2027 onwards.

Safety belt warning system

Wireless Safety belt warning system with seat occupancy detection. The seat detects as soon as a person has sat down on the seat. This is displayed to the driver and at the same time whether the person is buckled up. The data from monitoring the seat surface with a weight sensor and the control of the Lock for the Safety belt are transmitted to the display at the driver.

The display assists the driver in keeping an overview of the passengers in the vehicle at all times.

available from Feb. 2027


Regulation (EU) 2019/2144, ECE R16, ECE R10, EMCD, RED

allsafe seat system

- ▶ A wide range of accessories for securing loads is available optionally. It uses the state-of-the-art allsafe airline profile.



- ▶ Lashing points approved in accordance with ISO 10542 can be installed between the seat tracks to secure wheelchairs.



► **To create your individual allsafe seat system, we kindly ask for the following information:**

1. Vehicle type / Vehicle length / Manufacturer:																		
Base plate length:						mm (if not serial dimensions)												
Track length:						mm												
2. Number of double seat tracks for seats side by side :																		
3. Number of additional single seat tracks:																		
4. Base plate with seat tracks (12 mm one-piece floor)																		
Seat tracks with 9 mm wooden strips and vinyl																		
Seat tracks with 9 mm wooden strips																		
Seat tracks of the vehicle																		
Seat tracks in custom lengths																		
5. Qty.	Seat type				Armrests				3-point seat belt				Seat cover		Isofix			
a. _____	801		805		left		right		left		right		Fabric		yes			
Pieces	825		862		without		both						Artificial leather		no			
b. _____	801		805		left		right		left		right		Fabric		yes			
Pieces	825		862		without		both						Artificial leather		no			
c. _____	801		805		left		right		left		right		Fabric		yes			
Pieces	825		862		without		both						Artificial leather		no			
d. _____	801		805		left		right		left		right		Fabric		yes			
Pieces	825		862		without		both						Artificial leather		no			
e. _____	801		805		left		right		left		right		Fabric		yes			
Pieces	825		862		without		both						Artificial leather		no			
6. Seat base height					Standard			Low			High							
7. Seat adapter					With wheels			Without wheels										
8. Accessories																		
Adjustable sliding console for seat types 801 and 805					yes		no											
Swivel and slide console for seat types 801 and 805					yes		no											
Seat occupancy monitoring					yes		no											
Safety belt warning system					yes		no											

Space for notes

allsafe GmbH & Co. KG
Gerwigstraße 31
78234 Engen / Germany
Phone +49 7733 5002-0
E-Mail sales@allsafe-group.com
www.allsafe-group.com

